


FIG. 1
PRIOR ART




66060" 5256660

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

600162 345660

FIG. 2



925660

FIG. 3






FIG. 4



660T60" 929E6E60

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		


FIG. 5




660760" 929660

APPROVED	O.G. FIG.
BY	CLASS SUBCLAS
DRAFTSMAN	

FIG. 6






APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		


660760" 9256260

FIG. 8




660660 32366600

FIG. 9




APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

FIG. 11



600760" 9256650


FIG. 12



660760" 9256660

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

FIG. 14




660760" 9/25/66

660760" 3232660

APPROVED	O.G. FIG.	
BY:	CLASS	SUBCLASS
DRAFTSMAN		


FIG. 17



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

660760 925E6E60

FIG. 18



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

660T60" 925E6E60

FIG. 19





FIG. 21



660760" 9/25/66 E60

660460" 9256660

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		




FIG. 22A




FIG. 22B

660760" 92966660

FIG. 23






FIG. 24



660760" 9256660

FIG. 26A





```

graph TD
    7((7)) --> S24{CHANGE OVER SCREEN IS INSTRUCTED?}
    S24 -- YES --> S26[START DISPLAYING TV PROGRAM]
    S26 --> S23[RESET SECOND TIMER]
    S23 --> S25{PREDETERMINED TIME IS PASSED?}
    S25 -- YES --> S27[DISPLAY WARNING]
    S27 --> S29{CHANGE OVER SCREEN IS INSTRUCTED?}
    S29 -- YES --> 7
    S29 -- NO --> 5((5))
    S25 -- NO --> S28{CHANGE OVER SCREEN IS INSTRUCTED?}
    S28 -- YES --> S40{INTERNET BUTTON IS OPERATED?}
    S40 -- YES --> S42[CUT-OFF LINE]
    S42 --> S44[DISPLAY TV PROGRAM]
    S44 --> RETURN([RETURN])
    S40 -- NO --> S24
    S28 -- NO --> S25

```

FIG. 28



60760 926660

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

660760" 925E6E60

FIG. 33






FIG. 34



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLAS
DRAFTSMAN		

FIG. 35



660760" 92566600

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

FIG. 36

HIRAGANA "HEN"

ALL DEL.

DEL.

LINE FEED

▲

▼

◀

▶

PRECEDING OBJECT

NON. CON.

KATAKANA CON.

KATAKANA EN-SIZE CON.

辺	変	片	返	編	偏	遍	篇	扁											

INPUT SWITCH

HIRAGANA

EM-SIZE

CANCEL

EXE.

49

48